


Screen shot of the standard footer in HIP 2.1

**HTML snippet generated by the XSL Processor for the standard footer**
(right-click on the HIP page and select **View Source** or **View Page Source**)

```
<center>
<table class="tableBackground" valign="bottom" width="100%">
  <tr>
    <td align="center">
      <a class="boldBlackFont1">Horizon Information Portal 2.1</a>
    </td>
  </tr>
  <tr>
    <td align="center">
      &nbsp;
      <a href="http://www.dynix.com">
        
        </a>
      </td>
    </tr>
  <tr>
    <td align="center">
      <font size="1">© 2001-2003
        <a class="mediumAnchor" href="http://www.dynix.com">Dynix</a>
        All rights reserved.
      </font>
    </td>
  </tr>
</table>
</center>
```

XSLT for the standard footer, generalfooter.xsl

```

<?xml version="1.0"?>
<!--
  Copyright (c) 2001-2002 by epixtech, inc.  All rights reserved.
-->
<!DOCTYPE xsl:stylesheet [
  <!ENTITY nbsp "&amp;nbsp;">
]>
<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
  <xsl:output method="html" indent="no"/>
  <xsl:template name="footer">
    <!-- Product name does not change from language to language and is not modifiable -->
    <xsl:variable name="product_name">Horizon Information Portal </xsl:variable>
    <center>
      <table>
        <xsl:attribute name="class">
          <xsl:value-of select="$css_table_background"/>
        </xsl:attribute>
        <xsl:attribute name="valign">bottom</xsl:attribute>
        <xsl:attribute name="width">100%</xsl:attribute>
        <xsl:if test="not(boolean(/searchresponse/sendingemail))">
          <xsl:if test="boolean(normalize-space($emailsuggestions))">
            <tr>
              <td>
                <xsl:attribute name="align">center</xsl:attribute>
                <a>
                  <xsl:attribute name="class">
                    <xsl:value-of select="$css_normal_black_font1"/>
                  </xsl:attribute>
                  <xsl:value-of select="$footer_email"/>
                  <xsl:text disable-output-escaping="yes">&amp;nbsp;</xsl:text>
                  <a>
                    <xsl:attribute name="class">
                      <xsl:value-of select="$css_normal_black_font1"/>
                    </xsl:attribute>
                    <xsl:attribute name="href">mailto:
                      <xsl:value-of select="$emailsuggestions"/>
                    </xsl:attribute>
                    <i>
                      <xsl:value-of select="$emailsuggestions"/>
                    </i>
                  </a>
                </a>
                <xsl:attribute name="class">
                  <xsl:value-of select="$css_normal_black_font1"/>
                </xsl:attribute>
                <xsl:text disable-output-escaping="yes">&amp;nbsp;</xsl:text>
                <xsl:value-of select="$footer_with_suggestions"/>
              </a>
            </a>
          </td>
        </tr>
      </xsl:if>
    </center>
  </xsl:if>

```

XSLT for the standard footer, generalfooter.xsl (continued)

```
<tr>
  <td>
    <xsl:attribute name="align">center</xsl:attribute>
    <a>
      <xsl:attribute name="class">
        <xsl:value-of select="$css_bold_black_font1"/>
      </xsl:attribute>
      <xsl:value-of select="$product_name"/>
      <xsl:value-of select="//version"/>
    </a>
  </td>
</tr>
<tr>
  <td>
    <xsl:attribute name="align">center</xsl:attribute>
    <xsl:text disable-output-escaping="yes">&nbsp;</xsl:text>
    <a>
      <xsl:attribute name="href">http://www.dynix.com</xsl:attribute>
      <img>
        <xsl:attribute name="src">
          <xsl:value-of select="$icon_logo_path"/>poweredbydynix.gif
        </xsl:attribute>
        <xsl:attribute name="border">0</xsl:attribute>
        <xsl:attribute name="alt">
          <xsl:value-of select="$footer_epixtech"/>
        </xsl:attribute>
      </img>
    </a>
  </td>
</tr>
</xsl:if>
<tr>
  <td>
    <xsl:attribute name="align">center</xsl:attribute>
    <font size="1">
      <xsl:text disable-output-escaping="yes">&#169;</xsl:text> 2001-2003
      <a>
        <xsl:attribute name="class">mediumAnchor</xsl:attribute>
        <xsl:attribute name="href">http://www.dynix.com</xsl:attribute>Dynix
      </a> All rights reserved.
    </font>
  </td>
</tr>
</br/>
</table>
</center>
</xsl:template>
</xsl:stylesheet>
```

Screen shot of the Hennepin County Library footer in HIP 2.1

[home](#) ~ [hours](#) ~ [library cards](#) ~ [magazine & newspaper list](#) ~ [other mn. libraries](#) ~ [feedback](#)
© 2001-2003 Dynix. All rights reserved.

HTML snippet generated by the XSL Processor for the Hennepin footer

```
<center>
<table class="tableBackground" valign="bottom" width="100%">
  <tr>
    <td nowrap="true" align="center">
      <a class="globalAnchor" href="http://www.hclib.org/">
        home
      </a>
      &nbsp;~ &nbsp;
      <a class="globalAnchor" href="http://www.hclib.org/locs.cfm">
        hours
      </a>
      &nbsp;~ &nbsp;
      <a class="globalAnchor" href="http://www.hclib.org/app.cfm">
        library cards
      </a>
      &nbsp;~ &nbsp;
      <a class="globalAnchor" href="http://www.hclib.org/PerList/">
        magazine & newspaper list
      </a>
      &nbsp;~ &nbsp;
      <a class="globalAnchor" href="http://www.hclib.org/gways.html">
        other mn. libraries
      </a>
      &nbsp;~ &nbsp;
      <a class="globalAnchor" href="http://www.hclib.org/feed.cfm">
        feedback
      </a>
    </td>
  </tr>
  <tr>
    <td align="center">
      <font size="-2" face="Arial" color="#999999">
        &copy; 2001-2003 Dynix. All rights reserved.
      </font>
    </td>
  </tr>
</table>
<br>
</center>
```

XSLT for the Hennepin footer, hcl_generalfooter_21.xsl

```

<?xml version="1.0"?>
<!--
  Copyright (c) 2001-2002 by epixtech, inc.  All rights reserved.
-->
<!DOCTYPE xsl:stylesheet [
  <!ENTITY nbsp "&amp;nbsp;">
]>
<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
  <xsl:output method="html" indent="no"/>
  <xsl:template name="footer">
    <center>
      <table>
        <xsl:attribute name="class">
          <xsl:value-of select="$css_table_background"/>
        </xsl:attribute>
        <xsl:attribute name="valign">bottom</xsl:attribute>
        <xsl:attribute name="width">100%</xsl:attribute>
        <xsl:if test="not(boolean(/searchresponse/sendingemail))">
          <tr>
            <td>
              <xsl:attribute name="nowrap">true</xsl:attribute>
              <xsl:attribute name="align">center</xsl:attribute>
              <a>
                <xsl:attribute name="class">
                  <xsl:value-of select="$css_global_anchor"/>
                </xsl:attribute>
                <xsl:attribute name="href">http://www.hclib.org/</xsl:attribute>
                <xsl:text>home</xsl:text>
              </a>
              <xsl:text disable-output-escaping="yes">&amp;nbsp; ~ &amp;nbsp;</xsl:text>
              <a>
                <xsl:attribute name="class">
                  <xsl:value-of select="$css_global_anchor"/>
                </xsl:attribute>
                <xsl:attribute name="href">http://www.hclib.org/locs.cfm</xsl:attribute>
                <xsl:text>hours</xsl:text>
              </a>
              <xsl:text disable-output-escaping="yes">&amp;nbsp; ~ &amp;nbsp;</xsl:text>
              <a>
                <xsl:attribute name="class">
                  <xsl:value-of select="$css_global_anchor"/>
                </xsl:attribute>
                <xsl:attribute name="href">http://www.hclib.org/app.cfm</xsl:attribute>
                <xsl:text>library cards</xsl:text>
              </a>
              <xsl:text disable-output-escaping="yes">&amp;nbsp; ~ &amp;nbsp;</xsl:text>
              <a>
                <xsl:attribute name="class">
                  <xsl:value-of select="$css_global_anchor"/>
                </xsl:attribute>
                <xsl:attribute name="href">http://www.hclib.org/PerList</xsl:attribute>
                <xsl:text>magazine &amp; newspaper list</xsl:text>
              </a>
            </td>
          </tr>
        </if>
      </table>
    </center>
  </template>
</xsl:stylesheet>

```

XSLT for the Hennepin footer, hcl_generalfooter_21.xsl (continued)

```
<xsl:text disable-output-escaping="yes">&nbsp; ~ &nbsp;</xsl:text>
<a>
  <xsl:attribute name="class">
    <xsl:value-of select="$css_global_anchor"/>
  </xsl:attribute>
  <xsl:attribute name="href">http://www.hclib.org/gway.html</xsl:attribute>
  <xsl:text>other mn. libraries</xsl:text>
</a>
<xsl:text disable-output-escaping="yes">&nbsp; ~ &nbsp;</xsl:text>
<a>
  <xsl:attribute name="class">
    <xsl:value-of select="$css_global_anchor"/>
  </xsl:attribute>
  <xsl:attribute name="href">http://www.hclib.org/feed.cfm</xsl:attribute>
  <xsl:text>feedback</xsl:text>
</a>
</td>
</tr>
</xsl:if>
<tr>
  <td>
    <xsl:attribute name="align">center</xsl:attribute>
    <font>
      <xsl:attribute name="size">-2</xsl:attribute>
      <xsl:attribute name="face">Arial</xsl:attribute>
      <xsl:attribute name="color">#999999</xsl:attribute>
      <xsl:text disable-output-escaping="yes">&copy;</xsl:text>
      2001-2003 Dynix. All rights reserved.
    </font>
  </td>
</tr>
<br/>
</table>
</center>
</xsl:template>
</xsl:stylesheet>
```